

Formal Concept Analysis

The Galactic Organization <contact@thegalactic.org>

2018-2023



¹© 2018-2023 the Galactic Organization. This document is licensed under CC-by-nc-nd (<https://creativecommons.org/licenses/by-nc-nd/4.0/deed.en>)

Formal Concept Analysis

Basic elements

- ▶ concepts
- ▶ context

History

- ▶ introduced in 1982 by Rudolf Wille
- ▶ application of **lattice theory** which is based on the works of M. Barbut and B. Monjardet on the whole lattice theory and on Galois connections.

Comparison with (deep) learning methods




Figure 1: Deep learning

Comparison with (deep) learning methods




Figure 2: Classical Formal Concept Analysis

Comparison with (deep) learning methods




Figure 3: User driven Formal Concept Analysis

Applications

FCA allows to analyze and extract information from a context where implicit knowledge regarding a dataset can be represented.

- ▶ FCA is used in many fields, such as
 - ▶ data mining;
 - ▶ machine learning;
 - ▶ information retrieval;
 - ▶ knowledge management.
- ▶ with applications in:
 - ▶ text mining;
 - ▶ semantic web;
 - ▶ software development;
 - ▶ chemistry and biology.

Applications

- ▶ it is used for **classification** and **clustering** because it allows the association of several objects to the same description;
- ▶ it is also used to extract **association rules** that are important in the field of data mining, and which are used by many applications.

Example

A context is represented by a two-dimensional table, which expresses the binary relationship between objects and their attributes.

Here we have animals and their attributes expressed by a context.

Animals	small	medium	big	twolegs	fourlegs	feathers
Dove	✓			✓		✓
Hen	✓			✓		✓
Tiger			✓		✓	
Lion			✓		✓	
Fox		✓			✓	
Dog		✓			✓	

Example

- ▶ a lattice is represented with a graph;
- ▶ every pair of nodes have a:
 - ▶ **common upper bound**;
 - ▶ **common lower bound**.
- ▶ nodes are concepts;
- ▶ edges express the **generalization/specialization** relation.




Figure 4: Concept Lattice

Example

- ▶ each node represent a concept; if we have a set of objects A that share the same set of attributes B , the pair (A, B) is a formal concept;
- ▶ in the Figure 4, node 2 means that the **Dove** and the **Hen** share the same characteristics *small*, *twolegs* and *feathers*.

2: #2
small twolegs feathers
['Dove', 'Hen']

Context, Concept and Lattice

Definition

A formal context is a triple $\langle G, M, I \rangle$, G is a set of object (*Gegenstand*), M is a set of attributes (*Merkmal*), and I is a relation between G and M (*Incidence*); if an object $g \in G$ has a relation with an attribute $m \in M$ we write glm and we say that the object g has the attribute m .

Galois Connection

A Galois connection $\langle \alpha, \beta \rangle$ is defined as follows:

Definition

$$\alpha: \begin{array}{l} 2^G \rightarrow 2^M \\ G \supseteq X \mapsto B \subseteq M \end{array}$$

associates common attributes B to a subset of objects X

Definition

$$\beta: \begin{array}{l} 2^M \rightarrow 2^G \\ M \supseteq Y \mapsto A \subseteq G \end{array}$$

associates shared objects A to a subset of attributes Y

Galois Connection

Examples

$$\alpha(\{\text{Fox}\}) = \{\text{medium, fourlegs}\}$$

$$\alpha(\{\text{Fox, Dog}\}) = \{\text{medium, fourlegs}\}$$

$$\beta(\{\text{twolegs}\}) = \{\text{Dove, Hen}\}$$

$$\beta(\emptyset) = \{\text{Dove, Hen, Tiger, Lion, Fox, Lion}\}$$

Closure operators

Definition

$$\alpha \circ \beta: \quad 2^M \quad \rightarrow 2^M \\ M \supseteq Y \quad \mapsto B \subseteq M$$

$$\beta \circ \alpha: \quad 2^G \quad \rightarrow 2^G \\ G \supseteq X \quad \mapsto A \subseteq G$$

are closure operators

Closure operators

Examples

$$\beta \circ \alpha(\{\text{Fox}\}) = \{\text{Fox}, \text{Dog}\}$$

$$\beta \circ \alpha(\{\text{Fox}, \text{Dog}\}) = \{\text{Fox}, \text{Dog}\}$$

$$\alpha \circ \beta(\{\text{twolegs}\}) = \{\text{small}, \text{twolegs}, \text{feathers}\}$$

$$\alpha \circ \beta(\{\text{small}, \text{twolegs}, \text{feathers}\}) = \{\text{small}, \text{twolegs}, \text{feathers}\}$$

Concepts

Definition

A concept is a pair $(A \subseteq G, B \subseteq M)$

$$B = \alpha(A) \wedge A = \beta(B)$$

\leq : binary relation of "specialisation/generalisation" between concepts

$$(A_1, B_1) \leq (A_2, B_2) \iff A_1 \subseteq A_2 \iff B_2 \subseteq B_1$$


FCA, Tools and Algorithms

In **FCA**, we talk generally about three structures, or data forms:

- ▶ **Reduced Context** (or data): is a two dimension table showing the relation between objects and attributes;
- ▶ **Lattice**: is a graph, where every node is a concept represent a set of object sharing the same set of attributes;
- ▶ **Basis of rules**: are implications, showing the relation between attributes.

These three structures represent the same information, but in different ways.

FCA, Tools and Algorithms

Figure 5: Closure system²

²Bertet, Karell and Demko, Christophe and Viaud, Jean-François and Guérin, Clément. Lattices, closures systems and implication bases: A survey of structural aspects and algorithms, Theoretical Computer Science, vol. 743, p. 93-109, 2018.

Pattern theory

- ▶ pattern structures allows to extend **FCA** algorithms to non-binary data when a *Galois connection* exists between objects and their descriptions;
- ▶ *the idea behind the use of pattern is that we don't have always disassociated attributes; patterns are some kind of descriptions that the objects have, and of course we need to have some kind of similarity function between descriptions telling at which point two objects are similar.*³

³GANTER, Bernhard et KUZNETSOV, Sergei O. Pattern structures and their projections. In: International Conference on Conceptual Structures. Springer, Berlin, Heidelberg, 2001. p. 129-142.